



Influence of Environmental Changes on Behavior of Fauna

Singh Sunayana¹, Kumar Mukesh¹

¹Reproductive Biotechnology Laboratory, Department of Zoology, M.S.J. Govt. (P.G.) College, Bharatpur

Manuscript details:

Available online on <http://www.ijlsci.in>
ISSN: 2320-964X (Online)
ISSN: 2320-7817 (Print)

Cite this article as:

Singh Sunayana and Kumar Mukesh (2025)
Influence of Environmental Changes on
Behavior of Fauna, *Int. J. of. Life Sciences*,
Special Issue, A21, 147-150.

Article published in Special Issue of
"International Conference on Futuristic
Approach for Viksit Bharat (ICFAVB-2047)
Organized by Government College, Dholpur
(Raj.) Dated 23 and 24 Dec. 2024.



Open Access This article is
licensed under a Creative
Commons Attribution 4.0
International License, which permits use,
sharing, adaptation, distribution and repro-
duction in any medium or format, as long as
you give appropriate credit to the original
author(s) and the source, provide a link to the
Creative Commons license, and indicate if
changes were made. The images or other
thirdparty material in this article are included
in the article's Creative Commons license,
unless indicated otherwise in a credit line to
the material. If material is not included in the
article's Creative Commons license and your
intended use is not permit- ted by statutory
regulation or exceeds the permitted use, you
will need to obtain permission directly from
the copyright holder. To view a copy of this
license, visit [http://creativecommons.org/
licenses/by/4.0/](http://creativecommons.org/licenses/by/4.0/)

ABSTRACT

The behavior of fauna is intricately linked to environmental conditions. Changes in climate, habitat destruction, pollution, and human activities have led to significant alterations in the behavioral patterns of various species. This paper explores the impact of environmental changes on fauna behavior, including migration shifts, altered feeding habits, changes in reproductive patterns, and adaptations to urbanization. Understanding these behavioral modifications is crucial for conservation efforts and ecological balance.

Keywords: Environmental change, Fauna

1. INTRODUCTION

Fauna, or animal life, is highly responsive to environmental changes. These changes, driven by natural and anthropogenic factors, influence animal behavior in multiple ways. Climate change, habitat destruction, pollution, and the introduction of invasive species have compelled wildlife to adapt for survival. This paper examines key behavioral changes in fauna and their implications on biodiversity and ecosystems.

Reasons for Change in Fauna Under Present Environmental Conditions Several factors contribute to changes in fauna behavior due to current environmental conditions:

- **Climate Change:** Rising global temperatures, unpredictable weather patterns, and changing seasonal cycles affect migration, breeding, and feeding behaviors.
- **Habitat Destruction:** Urbanization, deforestation, and agricultural expansion lead to habitat fragmentation, forcing animals to adapt to new environments or face extinction.
- **Pollution:** Chemical, noise, and light pollution impact animal communication, reproductive success, and survival rates.
- **Invasive Species:** The introduction of non-native species disrupts local ecosystems, leading to competition for resources and changes in native species' behaviors.
- **Human Activities:** Increased human-wildlife interactions, hunting, and resource exploitation alter natural behaviors and threaten species survival.

- **Extreme Weather Events:** Natural disasters such as wildfires, hurricanes, and droughts displace species, alter food availability, and impact long-term survival strategies.

Negative Effects of Environmental Changes on Fauna

Environmental changes have led to several negative consequences for fauna, including:

- **Loss of Biodiversity:** Many species are unable to adapt to rapid environmental changes, leading to extinction or population decline.
- **Increased Human-Wildlife Conflicts:** Habitat destruction forces animals into human settlements, resulting in conflicts, injuries, and deaths on both sides.
- **Disrupted Food Chains:** Changes in the availability of food sources impact predator-prey relationships, leading to imbalances in ecosystems.
- **Health Problems and Disease Spread:** Pollution and climate change contribute to the spread of diseases among wildlife, weakening populations.
- **Genetic Changes and Reduced Fitness:** Exposure to pollutants and habitat fragmentation can lead to genetic mutations, reducing reproductive success and survival rates.
- **Behavioral Stress and Psychological Impact:** Constant exposure to human disturbances and environmental threats leads to stress-related behaviors, affecting reproduction and longevity.

To cope with environmental changes, fauna have developed various adaptation strategies like;

1. **Climate Change and Behavioral Adaptations:** One of the most profound impact on fauna is climate change, leading to shifts in migration, hibernation, and reproductive patterns:
 - **Migration Shifts:** Many bird and marine species have altered migration routes and timing due to temperature fluctuations and changes in food availability. For instance, Arctic terns and monarch butterflies have adjusted their travel patterns.
 - **Hibernation Patterns:** Warmer winters have led to shorter hibernation periods in animals like bears and hedgehogs, affecting their energy reserves and survival rates.
 - **Reproductive Timing:** Some species, like amphibians and insects, are breeding earlier due to increased temperatures, potentially disrupting predator-prey relationships.

- **Activity Pattern Changes:** Some species, like desert animals, shift their activity to cooler nighttime hours.

2. Habitat Destruction and Behavioral Modifications:

Deforestation, urbanization, and agricultural expansion have drastically altered natural habitats, leading to:

- **Territorial Adjustments:** Animals like tigers and leopards are forced into smaller, fragmented territories, increasing human-wildlife conflicts.
- **Dietary Changes:** Many animals, such as raccoons and pigeons, have adapted to human food sources, impacting their natural foraging behavior.
- **Nocturnal Behavior:** To avoid human interaction, several species, including foxes and coyotes, have shifted to nocturnal activity patterns.
- **Adaptation to Urban Life:** Animals like foxes, raccoons, and pigeons modify their behavior to thrive in cities.

3. Pollution-Induced Behavioral Changes: Pollution, including chemical, noise, and light pollution, has significantly affected fauna:

- **Communication Disruptions:** Birds like sparrows and robins have altered their songs to be heard over urban noise.
- **Marine Life Disturbance:** Increased ocean noise from ships has changed the vocalization and migration behavior of whales and dolphins.
- **Toxicity Adaptations:** Exposure to pollutants has led to genetic and behavioral adaptations, such as increased tolerance to contaminated environments in certain fish species.
- **Plastic & Waste Feeding:** Some animals, like seagulls and bears, shift their diet to human waste, leading to dependency and health issues.

4. Impact of Invasive Species on Native Fauna: The introduction of non-native species has forced native fauna to adapt:

- **Predator Avoidance:** Native species have changed their foraging and nesting behaviors to evade new predators.
- **Competition for Resources:** Invasive species often outcompete native species for food and shelter, leading to shifts in feeding habits and territorial adjustments.

5. Extreme Weather Events and Behavioral Shifts: Natural disasters like hurricanes, wildfires, and droughts have had immediate and long-term impacts on animal behavior:

- **Displacement and Relocation:** Many species are forced to migrate or relocate due to habitat destruction.
- **Altered Foraging Strategies:** Droughts and food scarcity push animals to expand their feeding areas or switch to alternative food sources. Droughts cause herbivores to change their diet, while carnivores may expand their hunting range
- **Storm-Induced Displacement:** Hurricanes, floods, and droughts force animals to relocate, sometimes permanently.

6. Ocean & Freshwater Changes: Increasing water pollution or change in chemical property of water has significantly affected the aquatic life.

- **Coral Bleaching Impact on Marine Life:** Species reliant on coral reefs (e.g., clownfish) must migrate or change their feeding behavior.
- **Acidification Effects:** Some fish struggle to detect predators due to changes in water chemistry.

7. Agricultural & Deforestation Impacts: Agricultural expansion and deforestation have drastically altered natural habitats, leading to:

- **Altered Migration & Nesting:** Many bird species change nesting locations due to deforestation.
- **Increased Human-Wildlife Conflict:** Loss of forest cover drives elephants, leopards, and other animals into human settlements.

CONCLUSION

Environmental changes are driving significant behavioral adaptations in fauna. While some species have successfully adjusted, others face survival threats due to rapid and drastic changes. Conservation efforts must focus on mitigating environmental disruptions and supporting wildlife adaptation strategies. Further research is needed to understand long-term behavioral changes and develop effective conservation policies.

Some Examples of Fauna Adaptations to Environmental Changes

- **Polar Bears:** Due to melting ice caps, polar bears are swimming longer distances to find food and have started scavenging human waste in Arctic communities.
- **Monarch Butterflies:** Warmer temperatures have altered their migration routes, causing delays and shifts in breeding grounds.
- **Urban Coyotes:** Coyotes in urban areas have adapted by becoming nocturnal to avoid human interaction and scavenging from garbage bins.
- **Coral Reefs:** Some coral species have shown resilience to ocean acidification by adjusting their symbiotic relationships with algae.
- **House Sparrows:** These birds have changed their song frequencies in urban areas to be heard over noise pollution.
- **Elephants:** In response to poaching, some elephant populations in Africa have shown a decline in tusk size or tusklessness as a genetic adaptation to avoid being hunted.
- **Leatherback Sea Turtles:** Rising sand temperatures have led to more female hatchlings, affecting population balance, leading researchers to intervene by shading nesting sites.

Conflict of Interest: None of the authors have any conflicts of interest to disclose. All the authors approved the final version of the manuscript.

Data Availability Statement: Not applicable.

Correspondence and requests for materials should be addressed to **Singh Sunayan**

Reprints and permissions information is available at <https://www.ijlsci.in/reprints>

REFERENCES

- Candolin U., Bertell, E, and Kallio, J., (2018), Environmental disturbance alters the ecological impact of an invading, shrimp. *Funct. Ecol.* 32.1370-1378. Doi:10.1111/1365-2435.13078
- Candolin, U. (2019b), The threespine stickleback (*Gasterosteus aculeatus*) as a modifier of ecological disturbances. *Evol. Ecol. Res.* 20, 167–191.
- Chapman, T., Rymer, T., and Pillay, N. (2012), Behavioural correlates of urbanisation in the cape ground squirrel *Xerus inauris*. *Naturwissenschaften* 99, 893–902. doi:

10.1007/s00114-012-0971-8B.M. Wong (Oxford: Oxford University Press), 46–62.

Dany Garant, 2020, Natural and human-induced environmental changes and their effects on adaptive potential of wild animal populations, *Evol Appl.*, 14;13(6):1117–1127. doi: [10.1111/eva.12928](https://doi.org/10.1111/eva.12928)

Giulio Arcangeli, Lucrezia Ginevra Lulli, Veronica Traversini, Simone De Sio, Emanuele Cannizzaro, Raymond Paul Galea, Nicola Mucci, (2022), Neurobehavioral Alterations from Noise Exposure in Animals: A Systematic Review, *Int J Environ Res Public Health*, 29;20(1):591. doi: [10.3390/ijerph20010591](https://doi.org/10.3390/ijerph20010591)

Iain D. Couzin, Conor Heins, (2023), Emerging technologies for behavioral research in changing environments, *Trends in ecology & Evolution*, Volume 38, Issue 4, Pages 346-354.

Kandasamy Gajendiran, Sabariswaran Kandasamy, Mathiyazhagan Narayanan, (2024), Influences of wildfire on the forest ecosystem and climate change: A comprehensive study, *Environmental Research*, Volume 240, Part 2, 1 January 2024, 117537

Kate Ritzel and Travis Gallo.(2020), Sec. Behavioral and Evolutionary Ecology, *Front. Ecol. Evol.*, *Front. Ecol. Evol.*, Volume 8.

Renata Relić and Mirjana Đukić-Stojčić, (2023), Influence of Environmental Pollution on Animal Behavior, *Contemporary Agriculture* 72(4):216-223, DOI:[10.2478/contagri-2023-0029](https://doi.org/10.2478/contagri-2023-0029)

Tawfiqur Rahman and Ulrika Candolin (2022), Linking animal behavior to ecosystem change in disturbed environments, *Front. Ecol. Evol.*, *Sec. Behavioral and Evolutionary Ecology*, Volume 10 | <https://doi.org/10.3389/fevo.2022.893453>

© The Author(s) 2025

Publisher's Note

IJLSCI remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.