

Original Article

Open Access

Phytochemical studies in leaf drug *Gymnema sylvestre* (Retz.) R.Br. ex Schult.

Biradar Rupali¹ and Gambhire Vikas^{2*}

¹Department of Botany, Indraraj Arts, Commerce and Science College, Sillod, Aurangabad ²Department of Botany, Govt. College of Arts and Science, Aurangabad Email- <u>gambhirevikass@gmail.com</u>

Manuscript details:

Available online on <u>http://www.ijlsci.in</u> ISSN: 2320-964X (Online) ISSN: 2320-7817 (Print)

Cite this article as:

Biradar Rupali and Gambhire Vikas (2021) Phytochemical studies in leaf drug *Gymnema sylvestre* (Retz.) R.Br. ex Schult., *Int. J. of. Life Sciences*, Special Issue, A16: 83-86.

Article published in Special issue of National Conference on "Recent Trends in Science and Technology-2021 (RTST-2021)" organized by Department of Environmental Science, Shri. Dnyaneshwar Maskuji Burungale Science & Arts College, Shegaon, Bhuldhana, and Department of Botany Indraraj Commerce and Science College Shillod, DIst. Aurangabad, Maharashtra, India date, February 22, 2021.



Open Access This article is licensed under a Creative Commons Attribution 4.0

International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other thirdparty material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/ licenses/by/4.0/

ABSTRACT

Gymnema sylvestre (Retz.) R.Br. ex Schult. is much branched, twining shrubs with terete stem belonging to family Asclepiadaceae. Its leaves are medicinally exploited to treat several diseases and disorders. Being an important ayurvedic drug it is deliberately adulterated. Phytochemical studies in this leafy drug are carried out to standardize and detect the adulteration in it. The phytochemical studies include details of characters of leaf powder like colour, odour, taste, Alkaloids, Anthraqinone, Iridoids, Saponins, Steroids, Tannins (Qualitative) and dry matter, bulk density, nitrogen, Water soluble nitrogen, crude protein, crude fat, crude fiber, total ash, acid insoluble ash, acid soluble ash, water insoluble ash, water soluble ash, calcium, reducing sugar, total sugar, non-reducing sugar, cellulose, gross energy, phosphorus, extractive values in 10 solvents (Quantitative). The above parameters can be applied to standardize this leaf drug.

Keywords: Phytochemical studies, *Gymnema sylvestre* (Retz.) R.Br. ex Schult, adulterations.

INTRODUCTION

Gymnema sylvestre (Retz.) R.Br. ex Schult. is much branched, twining shrubs with terete stem, opposite, ovate or elliptic-lanceolate leaves. Leaves are medicinally exploited to treat several diseases and disorders like or has various properties like Acrid, Alterative, Alexiteric, Anthelmintic, Asthma, Bitter, Bronchitis, Burning sensation, Cooling, Eye complaints, Eye lens problems, Heart diseases, Inflammation, Leucoderma, Piles, Tonic (Kirtikar and Basu, 1984); Biliousness, Cough, Diuretic, Laxative, Sore eyes, Stomachic, Stimulant, Suppression of the sense of taste for sweet and bitter substances (Persaud *et al.*,1999; Intelegen, 2004); Diabetes (Prakash *et al.*,1986; Grover *et al.*,2002; Gholap and Kar,2003; Roy and Indu kumari 2004; Holistic, 2004), Antibacterial (Satdive *et al.*,2003), Heart diseases (Sharma and Kumar,

2001). Being a famous drug there are very chances of adulterations. The adulterations may by deliberate or happened unknowingly. During present investigation an attempt was made to standardize the leaves of Gymea *sylvestre* (Retz.) R.Br. ex Schult. by using some phytochemical parameters.

MATERIAL AND METHODS

The leaf samples were collected from the medium sized authentically identified plant species from different localities of Marathwada. The leaves were removed carefully by hand pricking without damaging the plants. The leaves were collected in polythene bags and brought to the laboratory within 2-5 hours. The leaves were initially dried in shade and later in oven at 60°C till constant weight, then made in to fine powder and stored in sealed plastic container for further analysis (Sadasivam and Manickam, 2008). The phytochemical analysis was carried out using standard procedures. The phytochemical parameters obtained from studies are useful to know the adulterations in leaf drug *Gymnema sylvestre* (Retz.) R.Br. ex Schult. The phytochemical studies include details of characters of leaf powder like colour, odour, taste, dry matter, bulk Density, nitrogen, water Soluble Nitrogen (WSN), crude protein, crude fat, crude fiber, total ash, acid insoluble ash, acid soluble ash, water insoluble ash, water soluble ash, calcium, reducing sugar, non-reducing sugar, total sugar, cellulose, extractive values, gross energy, phosphorous etc.

RESULTS AND DISCUSSION

All above mentioned characters were found to be diagnostic to find adulteration in the leaf drug *Gymnema sylvestre* (Retz.) R.Br. ex Schult..

Phytochemical characters of leaf powder

| Table 1.1 hysical characters | | | |
|------------------------------|-----------|-------------------|--|
| Sr. | Character | Expression | |
| No. | | | |
| 1 | Colour | Faint green | |
| 2 | Odour | Disagreeable | |
| 3 | Taste | Bitter astringent | |

Table 1: Physical characters

| Sr. | Character | Expression |
|-----|--------------|------------|
| No. | | |
| 1 | Alkaloids | + |
| 2 | Anthraqinone | - |
| 3 | Iridoids | - |
| 4 | Saponins | + |
| 5 | Steroids | + |
| 6 | Tannins | + |

Table 3 Quantitative phytochemical characters

| Sr. | Character | Expression % |
|-----|-----------------|--------------------------|
| No. | | |
| 01 | Dry Matter (DM) | 14.9 |
| 02 | Bulk Density | 0.435 mg/cm ³ |
| 03 | Nitrogen (N) | 2.16 |

| Sr. | Character | Expression % | |
|-----|------------------------------|--------------|--|
| No. | | | |
| 04 | Water Soluble Nitrogen (WSN) | 1.625 | |
| 05 | Crude Protein (CP) | 13.5 | |
| 06 | Crude Fat (CFat) | 12.4 | |
| 07 | Crude Fibre (CF) | 17.45 | |
| 08 | Total Ash (TA) | 7.15 | |
| 09 | Acid Insoluble Ash (AIA) | 0.45 | |
| 10 | Acid Soluble Ash (ASA) | 6.7 | |
| 11 | Water Insoluble Ash (WIA) | 1.5 | |
| 12 | Water Soluble Ash (WSA) | 6.1 | |
| 13 | Calcium (Ca) | 1.663 | |
| 14 | Reducing Sugars | 1.35 | |
| 15 | Non Reducing Sugars | 0.558 | |
| 16 | Total Sugars | 1.908 | |
| 17 | Cellulose | 15.9 | |
| 18 | Gross Energy (GE) | 4 Kcal/gm | |
| 19 | Phosphorus (P) | 0.16 | |

Table 3 : Continued...

Table 4 Extractive values

| Sr. | Solvent | Extractive Value |
|-----|-------------------------------------|------------------|
| No | | |
| 01. | Extractive value in Water | 19 |
| 02. | Extractive value in Acetone | 2.2 |
| 03. | Extractive value in Butanol | 2.8 |
| 04. | Extractive value in Chloroform | 2.2 |
| 05. | Extractive value in Diethyl Ether | 3.4 |
| 06. | Extractive value in Ethyl Alcohol | 8.2 |
| 07. | Extractive value in Methanol | 19.2 |
| 08. | Extractive value in Petroleum Ether | 1.2 |
| 09. | Extractive value in Propanol | 4.6 |
| 10 | Extractive value in Toluene | 1.8 |

The parameters like faint green colour, disagreeable odour, bitter astringent taste, presence of Alkaloids, Saponins, Steroids and Tannins give preliminary idea about authenticity of drug (Tables 1 & 2) while quantitative chemical parameters like dry matter 14.9 %, bulk density 0.435 mg/cm³, Nitrogen 2.16 %, 1.625 % water soluble nitrogen, crude proteins 13.5 %, crude fats 12.4 %, crude fibers 17.45 %, total ash 7.15 %, acid insoluble ash 0.45 %, acid soluble ash 6.7 %, water insoluble ash 1.5 %, water soluble ash 6.1 %, Calcium 1.663 %, reducing sugar 1.35 %, non-reducing sugar 0.558

%, total sugar 1.908 %, cellulose 15.9 %, gross energy 4 K cal/ gm, Phosphorous 0.16 % (Table 3) together can be exploited for making certain that raw material is genuine for predicting quantum of adulteration. The extractive values in Water 19 %, Acetone 2.2 %, Butanol 2.8 %, Chloroform 2.2 %, Diethyl Ether 3.4 %, Ethyl alcohol 8.2 %, Methanol 19.2 %, Petroleum ether 1.2 %,, Propanol 4.6 %, Toluene 1.8 % are conclusive parameters (Table 4).

Conflicts of interest: The authors stated that no conflicts of interest.

REFERENCES

- Gholap S, Kar A. 2003, "Effect of India recemosa root and *Gymnema sylvestre* leaf extracts in the regulation of corticosteroid include diabetes Mellitus involvement of thyroid harmons. Pharma", 58: 413-415.
- Grover JK, Yadav S, Vats V. 2002, "Medicinal plants of India with antidiabetic potential", J. Ethnopharmacol. 81(1); 81-100.
- Holistic,2004. <u>"Http://www.holisticoline.com./</u>Remedies /Diabetes/diabetes Ayurveda. Html Viewed on 28-10-2004.
- Intelegen 2004, http//:intelegen.com/nutrients/Gymnema sylvestre for diabetes. html. Viewed on 28-10-2004.
- Kirtikar KR and Basu BD. 1984, "Indian Medicinal plants", Rewritten by Blatter Caius J.F. and Mhaskar, Lalit Mohan Basu Publication, Allahabad.
- Persaud SJ, AL-mased, H Raman A, Jones PM. 1999, "*Gymnema sylvestre* leaf extract in the control of blood glucose in insulin dependent diabetes Mellitus", J. Ethanopharmacol:30(1).
- Prakash AO, Mather R, 1986, "Effect of Feeding *Gymnema sylvestre* leaves on blood glucose in beryllium nitrate treated Rats", J. Ethnopharmacol 18: 143-144.
- Roy DC and Indu Kumari. 2004, "Ethnobotanical studies on some Medicinal plants of Gaya and adjoining areas", International Journal Mendel Vol. (1-2); 23-24.
- Sadasivam S and Manickam A, 2008, "Biochemical Methods", New age International Publishers, New Delhi
- Satdive RK, Abhilash P, Fulzele DP, 2003, "Antimicrobial activity of *Gymnema sylvestre* leaf extract fitoterapia. 74(7-8); 699-701.
- Sharma V and Kumar A. 2001, "Ayurvedic plants for cure of Hepatic diseases", International Journal Mendel Vol. 18 (1-2); 13-14.

© 2021 | Published by IJLSCI



- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field

Submit your next manuscript to IJLSCI through our manuscript management system uploading at the menu "Make a Submission" on journal website

Email your next manuscript to IRJSE editor@ijlsci.in